



**Waste Information Profile (WIP)  
Non-hazardous Waste  
Catch Basin Waste -- Single Source**

<http://www.ppvnw.com/wip>

**PPV, Inc. | Waste Water Recovery**  
4927 NW Front Avenue  
Portland • OR • 97210  
Phone: (503) 261-9800  
FAX: (503) 261-9900  
Email: [wip@ppvnw.com](mailto:wip@ppvnw.com)

Please review our updated profile standards beginning March 1, 2016.

**Profile Instructions:** For a complete profile, please attach analytical information with your submission. Make sure all information is complete (Generator, site and third party handler). All analytical information needs to be transferred to each constituent and their corresponding values in Parts Per Million (PPM) or Milligrams Per Liter (mg/L). Any missing information that would apply to the description or necessary testing (analytical) assigned will result in a rejected or quarantine load.

**Non-Accepted Wastes:** DMSO, PCB's, coolants/oils (unless pre-authorized), and other defined Hazardous Waste. This can be viewed at <http://ppvnw.com/hzwaste>

**Pre-Authorization:** We are happy to review sections one through four to pre-authorize the waste stream before analytics/testing is done to determine if we can consider the waste stream.

**Limits:** No current pre-determined limits for our acceptance criteria. Each profile is reviewed for acceptance and treatability then assigned a rate.

**Testing:** All analytical must be done through a third party certified lab. MSDS sheets are helpful but cannot substitute for analytical testing.

**Testing requirements:** Your designated third party lab must perform tests for the following unless specified by your PPV representative: PPV General, PPV Metals, and PPV Organics. If they do not have the specific testing requirements for each, please have them contact us.

**Profile Expiration:** Profiles for recurring loads are valid for one year unless one of the following occurs: The material is different in character than specified on the profile and analytical or there is a significant change in the waste generating process or source. Expired profiles will require a new profile to be filled out including new analytical. Loads not meeting the criteria given in the profile and analytical can be rejected, quarantined for additional testing, or subject to additional fees. Please discuss with your PPV representative about profile characterization for multiple loads.

**Regular/Multiple Loads:** Loads will be subject to quality control testing to ensure they meet profile and analytical specifications. Your PPV representative will assist in reviewing testing and sampling to ensure loads do not exceed the profile limits on the approved treatability plan.

**Load Sampling:** Loads that do not match profile descriptions may be subject to additional sampling that can cause delays. All loads will have samples held at our facility for a minimum of 30 days.

**Non-conforming Loads:** Loads that enter the facility that do not match profile criteria, analytical criteria, or have unacceptable wastes will be sampled and logged into our records that are reviewed by the City of Portland.

**Facility Acceptance:** All drivers will submit a copy of their WIP with their load for verification. Profiles, analytical and other supporting material must be received the day (24 hours) before for approval.

**Safety:** Drivers must comply with all safety standards at the PPV facility and provide their own personal safety equipment. All drivers and equipment enter the facility and grounds at their own risk.

**Insurance Requirements:** All companies must submit a certificate of insurance with PPV as an additional insured. Please view requirements at <http://www.ppvnw.com/coi>

**For assistance, please call our office at (503) 261-9800, email [wip@ppvnw.com](mailto:wip@ppvnw.com) or online at [ppvnw.com](http://ppvnw.com) or Adam Borgens at (503) 349-9147, email [aborgens@ppvnw.com](mailto:aborgens@ppvnw.com) for urgent needs.**

